

# evolution

by BROSELEY



multifuel, woodburning, gas & electric stoves

# Better make it Broseley

Broseley is named after the village in the heart of England where the family business was born nearly fifty years ago. Nearby the 18th century ironmasters forged the Industrial Revolution – a fitting origin for a company that uses traditional skills to build stoves in stout cast iron and sturdy steel to stand the test of time.

They also withstand the scientific tests required to meet the highest national and European standards of quality, safety and environmental performance. Our technical team also strives to balance innovation with craftsmanship.

Evolution by Broseley is our range of stoves which can only be purchased at the showrooms of Broseley appointed stockists, not directly from the internet. Evolution is exclusive, and expanding. From the original collection of woodburning stoves, we now manufacture multifuel, gas and electric stoves, most of which are manufactured in our factories in the UK.

What all of our stoves share is quality of build and a level of efficiency over three times greater than an open fire. Balancing technical excellence with traditional skills is a delicate business. With the Evolution collection, Broseley have achieved this beautifully.

Electric Stoves / Inset Electric Stoves..... 4 - 11

Gas Stoves..... 12 - 17

Multifuel Stoves..... 18 - 23

Woodburning Stoves..... 24 - 25

Boiler Stoves..... 26 - 27

## 2022 Ecodesign Ready



Ecodesign is the European-wide programme to lower emissions and will be in force in the UK from 2022. Here at Evolution by Broseley we are already manufacturing stoves that will comply with the new Ecodesign programme, such as the **Ignite and Desire Widescreen (woodburning) stoves** and the new **Rota, Rota Tre & Polar Neo Aqua stoves**.

Ecodesign stoves are designed to burn at higher levels in the fire box. This greatly reduces the organic particles that are normally released from a pre Ecodesign multifuel stove. This in turn significantly reduces the level of emissions from woodburning and has a positive impact on carbon reduction. Wood is a renewable energy and virtually carbon neutral.

---

## Evolution and the environment

What's better for home life is good for the planet too. Wood is not only a renewable source of energy, it's also carbon neutral. That's because during its lifetime a growing tree absorbs as much, if not more carbon dioxide than it emits when it burns or decays.

Using your stove to burn wood reduces the need for central heating which consumes non-renewable fossil fuels.

---

## Energy efficiency class (EEC)

Evolution by Broseley multifuel stoves hold energy efficiency class (EEC) ratings of A+ & A, making them top of their class when it comes to reducing your carbon footprint. At Evolution by Broseley we are proud to highlight the energy efficiency class ratings given to us for our multifuel stoves.

---

## Smoke exempt

Those of us who live in towns and cities dwell in smoke control areas as defined by the Clean Air Act.

Here you are permitted only to burn smokeless fuel or use woodburning appliances which have passed the emissions tests set by the Department of Environment Food and Rural Affairs (DEFRA).

So efficiently do Evolution by Broseley stoves convert wood to heat, they bear the Smoke Exempt seal.



## Introducing Actiview™

People are rightly attracted to install a stove because it makes such a visible difference to a room. But remember, burning fuel creates deposits. These can settle on the glass front and obscure the view.

You can mitigate the effect by choosing kiln dried logs with low moisture content, but Evolution by Broseley's new Actiview™ system goes further. It enables the stove itself to keep its own glass clean for longer.

Like all fires, a stove needs an airflow to ignite the fuel and keep it burning. The difference with an Evolution by Broseley stove is that a system of hidden ducts and channels directs three types of airflow into the fire.

# Beacon

## ELECTRIC STOVE

Manufactured in Britain, the Beacon timber stove in Matt Black or Ash White finish has the distinct appearance of Steel and is available in two sizes to suit any home. There’s no need for a chimney or flue, simply position in place and plug in to enjoy the glorious ultra-realistic flame effect and glowing log bed.

Conveniently control the 2kW heat output with the 7 day programmable thermostat remote control or enjoy the ambience of the flame effect only setting on warmer evenings.

The Beacon inset electric stove perfectly complements any timber or marble surround, with a Matt Black painted finish and realistic glowing log bed. Designed and manufactured in the UK, the warmth of the 2kW heat output is enough to create a cosy ambience in any room.



Freestanding Beacon is available in 2 sizes and 2 colours



Made from timber for a lighter weight stove and realistic warming flame effect



Beacon inset is available in 2 sizes and both will fit into a standard 16" backpanel opening



Decorative flues are available as an additional extra (See Pg 28)



Comes with 7 day programmable thermostat remote control



|                             | Beacon Small             | Beacon Large             | Beacon Inset Small       | Beacon Inset Large       |
|-----------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Width                       | 486mm                    | 586mm                    | 486mm                    | 586mm                    |
| Height                      | 599mm                    | 599mm                    | 599mm                    | 599mm                    |
| Depth                       | 292mm                    | 292mm                    | 232mm                    | 232mm                    |
| Back Panel cut out required | N/A                      | N/A                      | (W) 413mm x (H) 565mm    | (W) 413mm x (H) 565mm    |
| Inset Depth                 | N/A                      | N/A                      | 45mm                     | 45mm                     |
| Heat Output                 | Up to 2kW                | Up to 2kW                | Up to 2kW                | Up to 2kW                |
| Remote Control              | Yes - 7 Day programmable | Yes - 7 Day programmable | Yes - 7 Day programmable | Yes - 7 Day programmable |
| Finish                      | Matt Black or Ash White  | Matt Black or Ash White  | Matt Black               | Matt Black               |



Beacon Small - Ash White



Beacon Large - Matt Black



Beacon Small Inset - Matt Black



Beacon Large Inset - Matt Black



# Vue

## ELECTRIC STOVE

Incorporating the latest LED technology to boast an ultra-realistic flame effect and pulsating log bed, behold the stunning Vue electric stove in Matt Black finish with glass top. Built from Steel and complete with 3 height options within one box, the Vue is an easy to assemble, freestanding stove.

The charming glass top houses the simple and easy to operate touch controls and a 7 day programmable thermostat remote control allows the 1.8kW heat output and flame intensity to be set to your preference. Admire the glowing log bed and mesmerising flame effect via 3 large windows which allow a full 180 degree view.



Vue LS Plus



|                | Vue                      | Vue LS | Vue LS Plus |
|----------------|--------------------------|--------|-------------|
| Width (mm)     | 450                      | 450    | 450         |
| Height (mm)    | 704                      | 931    | 1035        |
| Depth (mm)     | 404                      | 404    | 404         |
| Heat Output    | 0.9 - 1.8kW              |        |             |
| Remote Control | Yes - 7 Day programmable |        |             |



Vue



Vue LS

# Heslington

## ELECTRIC STOVE

The Heslington freestanding electric stove is built from Cast Iron in a Matt Black finish; enjoy the landscape of flames amongst the realistic glowing log bed, through the wide arched window. Control the warmth of the 2kW heat output and the intensity of the flame effect with a 7 day programmable thermostat remote control.

With slimline proportions, the Heslington can sit on a standard sized hearth and radiate enough heat for comforting warmth throughout the room.

Modern simplicity combined with traditional design makes the Heslington a desirable addition to any home.

Available with an Arched Lattice door as standard or optional plain door.



|                 | Heslington               |
|-----------------|--------------------------|
| Width           | 591mm                    |
| Height          | 651mm                    |
| Depth           | 324mm                    |
| Heat Output     | Up to 2kW                |
| Remote Control  | Yes - 7 Day programmable |
| Standard Window | Arched Lattice           |
| Optional Window | Plain                    |



Heslington - Arched Lattice



Heslington - Plain Door



Heslington - Plain Door

Note: Decorative flue not included. (See Page 28 for flue options)

# Ora

## ELECTRIC STOVE

The traditional Ora 5 & 7 freestanding electric stove boasts a gentle arched window set into a Cast Iron door with Steel body. Beautifully finished in Matt Black, the realistic glowing log bed shimmers beneath the dancing flames; enjoy up to 2kW heat or flame effect only, saving energy and money.

The 7 day programmable remote control also adds the element of convenience to your stove.

The compact Ora inset electric stove has a stylish Steel body and robust Cast Iron door in Matt Black finish, making it a beautiful addition to any room. The panoramic window allows a stunning view of the brand new, ultra-realistic flame effect and glowing log bed.

A slim 69mm inset depth ensures a flat wall fit with any 75mm rebate surround to gain that true stove appearance.



Freestanding Ora  
is available in 2 sizes



Made from steel with  
cast door for a real  
stove feel and realistic  
warming flame effect



Comes with 7 day  
programmable  
thermostat remote  
control



Decorative flues  
are available as an  
additional extra



Ora inset stove  
fits perfectly into  
a standard 16"  
backpanel opening



|                             | Ora 5                    | Ora 7                    | Ora Inset                |
|-----------------------------|--------------------------|--------------------------|--------------------------|
| Width                       | 453mm                    | 565mm                    | 506mm                    |
| Height                      | 604mm                    | 604mm                    | 597mm                    |
| Depth                       | 377mm                    | 377mm                    | 249mm                    |
| Back Panel cut out required | N/A                      | N/A                      | (W) 413mm x (H) 565mm    |
| Inset Depth                 | N/A                      | N/A                      | 69mm                     |
| Heat Output                 | Up to 2kW                | Up to 2kW                | Up to 2kW                |
| Remote Control              | Yes - 7 Day programmable | Yes - 7 Day programmable | Yes - 7 Day programmable |





Ora 5



Ora 7



Ora inset electric shown with the Elgin & Hall Elento micro marble surround

Note: Decorative flue not included. (See Page 28 for flue options)

# Desire

## ELECTRIC STOVE



Desire 6 electric

Our Desire electric stoves provide the shimmer and smoulder of a coal burning stove but in the most convenient form. This Steel construction in Matt Black finish is available in three sizes, each providing up to 2kW heat output and a 7 day programmable thermostat remote control.

With a large panoramic window, the realistic flame effect can be enjoyed with or without heat any time of the year.



Desire inset electric

With a stylish Matt Black finish, the Steel construction of the Desire inset electric stove is sure to add character to your room. The curved window allows you to witness the enticing glow any time of the year with a flame effect only setting. Install within an existing fireplace or pair with a 75mm rebate surround to get the perfect flat wall fit.

|                | Desire 5                 | Desire 6                 | Desire 7                 | Desire Inset             |
|----------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Width          | 430mm                    | 486mm                    | 542mm                    | 486mm                    |
| Height         | 587mm                    | 587mm                    | 587mm                    | 587mm                    |
| Depth          | 292mm                    | 292mm                    | 292mm                    | 238mm                    |
| Inset          | N/A                      | N/A                      | N/A                      | 69mm                     |
| Rear Height    | N/A                      | N/A                      | N/A                      | 500mm                    |
| Heat Output    | Up to 2kW                | Up to 2kW                | Up to 2kW                | Up to 2kW                |
| Remote Control | Yes - 7 Day programmable | Yes - 7 Day programmable | Yes - 7 Day programmable | Yes - 7 Day programmable |

# Ignite

## INSET ELECTRIC STOVE

The real Cast Iron door of the Ignite inset electric stove gives an authentic look of a genuine multifuel stove. Enjoy the shimmering glow of the realistic coal bed with a warming 2kW heat or use the flame effect only setting on warmer nights. It can be installed into an existing fireplace or a 75mm rebate surround for a flat wall fit.



|                | Ignite                   |
|----------------|--------------------------|
| Width          | 486mm                    |
| Height         | 587mm                    |
| Depth          | 236mm                    |
| Inset          | 69mm                     |
| Rear Height    | 500mm                    |
| Heat Output    | Up to 2kW                |
| Remote Control | Yes - 7 Day programmable |



Ignite inset electric shown with the Elgin & Hall Timara micro marble surround





Evolution 5 Deluxe gas





# Evolution 5

## GAS STOVE

The Evolution 5 gas stove boasts contemporary style to suit any home and offers 4.3kW in warmth to comfortably heat a medium sized room. Watch the flicker of the realistic flame pattern through the generous viewing window and admire the comforting warmth as it reaches the furthest corners of your room.

The striking optional glass top of the Evolution 5 Deluxe adds a charming characteristic which stands out against the Metallic Black finish of the cast iron body.







Deluxe Option  
with glass top



Available with remote  
control for effortless  
operation at the touch  
of a button.



Simple push-pull  
operation provides easy  
ignition of the pilot light  
and simple regulation  
of the gas flame.

| Evolution 5 / Deluxe    |   |   |
|-------------------------|---|---|
| Width                   | 453mm   |   |
| Height                  | 586mm   |   |
| Depth                   | 436mm   |   |
| Flue Diameter           | 125mm   |   |
| Heat Output             | 4.3kW (top) 4.15kW (rear)   |   |
| Efficiency              | 83% (top) 80% (rear)  |   |
| Flue Outlet             | Top and rear  |   |
| Energy Efficiency Class |   |   |
| Top                     | Manual:  | Remote:  |
| Rear                    | Manual:  | Remote:  |



Ignite 7 gas

# Ignite

## GAS STOVE



Built from Steel with a Matt Black finish Cast Iron door, the Ignite gas stoves are striking additions to the Evolution range. With a large panoramic window and realistic log bed, your room will be brought to life by the mesmerising flames. The Ignite provides a generous heat output, encompassing the whole room with warmth.

|                         | Ignite 5               | Ignite 7         |                  |             |
|-------------------------|------------------------|------------------|------------------|-------------|
| Width                   | 430mm                  | 542mm            |                  |             |
| Height                  | 582mm                  | 582mm            |                  |             |
| Depth                   | 371 mm                 | 345mm            |                  |             |
| Flue Diameter           | 125mm                  | 125mm            |                  |             |
| Heat Output             | 4.5kW (top) 4kW (rear) | 4.7kW (top)      |                  |             |
| Efficiency              | 83% (top) 74% (rear)   | 80%              |                  |             |
| Flue Outlet             | Top and rear           | Top              |                  |             |
| Remote Control          | Optional               | No               |                  |             |
| Energy Efficiency Class |                        |                  |                  |             |
| Top                     | Manual: <b>D</b>       | Remote: <b>C</b> | Manual: <b>E</b> | Remote: N/A |
| Rear                    | Manual: <b>E</b>       | Remote: <b>E</b> |                  |             |



Desire 5 gas

# Desire

## GAS STOVE



The Desire gas stoves have large glass windows that perfectly frame the dancing flames. Built from Steel with smooth Matt Black finish with a stylish and realistic log bed. With impressive efficiencies you can control the heat output perfectly and furthermore the effect is almost instant – all you need to do is choose which size Desire suits your fireplace and room.

|                         | Desire 5               | Desire 7         |                  |             |
|-------------------------|------------------------|------------------|------------------|-------------|
| Width                   | 430mm                  | 542mm            |                  |             |
| Height                  | 582mm                  | 582mm            |                  |             |
| Depth                   | 371mm                  | 345mm            |                  |             |
| Flue Diameter           | 125mm                  | 125mm            |                  |             |
| Heat Output             | 4.5kW (top) 4kW (rear) | 4.7kW (top)      |                  |             |
| Efficiency              | 83% (top) 74% (rear)   | 80%              |                  |             |
| Flue Outlet             | Top and rear           | Top              |                  |             |
| Remote Control          | Optional               | No               |                  |             |
| Energy Efficiency Class |                        |                  |                  |             |
| Top                     | Manual: <b>D</b>       | Remote: <b>C</b> | Manual: <b>E</b> | Remote: N/A |
| Rear                    | Manual: <b>E</b>       | Remote: <b>E</b> |                  |             |





Endure Balanced Flue

# Endure

## BALANCED FLUE GAS STOVE\*



The British built Endure Balanced Flue gas stove is a stylish addition to the Evolution by Broseley range.

Enjoy the desirable 3.3kW heat output and admire the realistic flame effect which will playfully flicker in full view through the large window. The Matt Black finish adds to the contemporary flourish that the Endure exudes.

\*Includes Balanced Flue kit

|                         | Endure |
|-------------------------|--------|
| Width                   | 542mm  |
| Height                  | 622mm  |
| Depth                   | 336mm  |
| Flue Diameter           | 150mm  |
| Output - High           | 3.3kW  |
| Output - Low            | 2.1kW  |
| Efficiency              | 86.2%  |
| Flue Outlet             | Rear   |
| Remote Control          | No     |
| Energy Efficiency Class |        |
| Rear                    |        |





Deepline High Efficiency inset gas fire shown with the Elgin & Hall Aurelia micro marble surround

# Cast Stove Trim

## INSET GAS FIRE

Replace your current inset gas fire and still experience the look and feel of a real stove with the Cast Stove Front in Matt Black finish. It fixes directly onto our glass fronted inset gas fires so you can enjoy the high efficiency and controllable flames with a real stove appearance.

\*Includes Balanced Flue kit

|                         | Mid Depth HE | Deepline HE | Balanced Flue* |
|-------------------------|--------------|-------------|----------------|
| Width                   | 559mm        | 559mm       | 559mm          |
| Height                  | 658mm        | 658mm       | 658mm          |
| Inset Depth             | 128mm        | 198mm       | 186mm          |
| Inset Width             | 403mm        | 403mm       | 403mm          |
| Inset Height            | 553mm        | 553mm       | 553mm          |
| Output - High           | 2.7kW        | 4.2kW       | 3.3kW          |
| Output - Low            | 1.7kW        | 2.2kW       | 2.1kW          |
| Efficiency              | 82%          | 87%         | 86.2%          |
| Energy Efficiency Class |              |             |                |
|                         | D            | C           | C              |

# Evolution 5

## MULTIFUEL STOVE



Witness how a multifuel stove in the sleek shape of the Evolution 5 can create a revolution in the way your room looks and feels.

Sitting within the hearth space, the Evolution 5 agreeably complements the contemporary design of the room, whilst adding the timeless touch of a real fire spreading its glow through the satisfyingly large viewing window.

As for warmth, the Evolution 5 has an output of 5kW, enough to heat a medium sized room. Its exceptional efficiency rating of 80.8% makes it one of the most efficient multifuel stoves you can buy.



Evolution 5 shown with the Elgin & Hall Colwyn Limestone inglenook surround

|               | Evolution 5 / Deluxe  | Evolution 5 / Deluxe log store  |
|---------------|---|---|
| Width         | 450mm   | 450mm   |
| Height        | 583mm   | 923mm   |
| Depth         | 434mm   | 434mm   |
| Flue Diameter | 150mm   | 150mm   |
| Heat Output   | 5kW: Wood   | 5kW: Wood   |
| Efficiency    | 80.8%  | 80.8%  |
| Flue Outlet   | Top and rear  | Top and rear  |

Deluxe Option  
WITH GLASS TOP





Evolution 5 Deluxe with log store



Ignite 5 Widescreen

|                 | Ignite 5                | Ignite 5 Widescreen     | Ignite 7                |
|-----------------|-------------------------|-------------------------|-------------------------|
| Width           | 430mm                   | 542mm                   | 542mm                   |
| Height          | 582mm (827mm log store) | 582mm (827mm log store) | 582mm (827mm log store) |
| Depth           | 356mm                   | 356mm                   | 356mm                   |
| Flue Diameter   | 125mm                   | 125mm                   | 125mm                   |
| Heat Output     | 5kW: Wood               | 5kW: Wood               | 7kW: Wood               |
| Efficiency      | 83.1%<br>A+             | 79%<br>A                | 79.7%<br>A              |
| Flue Outlet     | Top and rear            | Top and rear            | Top and rear            |
| Log Store       | Optional                | Optional                | Optional                |
| Ecodesign Ready | No                      | Yes                     | No                      |





Ignite 5 with log store

# Ignite

## MULTIFUEL STOVE

Built from steel in Britain, the adaptable Ignite range has a Cast Iron door with a Matt Black finish and a soft curve to the base. The log store adds convenience of not having to fetch fuel from outside. The heat output of these multifuel stoves are 5kW or 7kW and their efficiency is exceptional.

The Ecodesign compliant Ignite 5 Widescreen offers the larger viewing window from the 7 with the added benefit of producing 5kW of heat.

The Cast Iron door is softly arched and the grate front is wave-shaped, adding to the enjoyment of the Actiview™ clean panorama of flames. With a choice of top or rear flue outlet, you can position the stove inside an existing hearth or freestanding against an external wall.

DEAS KIT available. Ask your retailer about our direct air supply kit which pulls external air into your stove helping to prevent drafts in your home.



Widescreen only



Desire 5 Widescreen with log store

# Desire

## MULTIFUEL STOVE

This British built stove is simplicity itself. Its primary and secondary air controls make it easy to regulate, and Actiview™ technology keeps the glass clean on the steel door. The 5kW output is ideal for a small to medium sized room, whereas the 7kW has ample capacity to heat a medium to large sized room.

The Ecodesign Compliant (woodburning) Desire 5 Widescreen offers the larger viewing window from the Desire 7, and has the added benefit of producing 5kW of heat. This is the perfect choice if you need a larger stove but do not require a high heat output.

An optional air intake directs air from outside directly into the stove's combustion chamber, an advantage in draught-free, well-sealed modern houses.

All the features of the Desire 5 and 7 are available with the extra convenience and visual appeal of an integral log store.

DEAS KIT available. Ask your retailer about our direct air supply kit which pulls external air into your stove helping to prevent drafts in your home.



Desire 5



Widescreen only

|                 | Desire 5  | Desire 5 Widescreen   | Desire 7  |
|-----------------|---|---|---|
| Width           | 430mm   | 542mm   | 542mm   |
| Height          | 582mm (827mm log store)   | 582mm (827mm log store)   | 582mm (827mm log store)   |
| Depth           | 356mm   | 356mm   | 356mm   |
| Flue Diameter   | 125mm   | 125mm   | 125mm   |
| Heat Output     | 5kW: Wood   | 5kW: Wood   | 7kW: Wood   |
| Efficiency      | 83.1%  | 79%  | 79.7%  |
| Flue Outlet     | Top and rear  | Top and rear  | Top and rear  |
| Log Store       | Optional  | Optional  | Optional  |
| Ecodesign Ready | No  | Yes   | No  |





# Rota Tre

## WOODBURNING STOVE

Contemporary in style, the Oranier Rota Tre woodburning stove, with self closing door, has a 180 degree view of the stunning flame effect through 3 glass sides.

The 5kW heat output of this DEFRA approved stove, comfortably warms a small to medium sized room and as an Ecodesign compliant stove it meets the lower emissions output requirements.

Available with the choice of 3 stylish tops to suit your decor.



|               | Rota Tre           |
|---------------|--------------------|
| Width         | 458mm              |
| Height        | 983 - 1007mm       |
| Depth         | 458mm              |
| Flue Diameter | 150mm              |
| Heat Output   | 5kW: Wood          |
| Efficiency    | 80% <span>A</span> |
| Flue Outlet   | Top and rear       |



Rota Tre with Glass top





Rota

WOODBURNING STOVE

The DEFRA approved Oranier Rota provides an exceptional energy efficiency of up to 80% with a 5kW heat output to gently warm the room. This sleek woodburning stove includes integrated air flow controls, airwash technology to keep the large portrait viewing window clean and a self-closing firebox door.

Available with the choice of 3 stylish tops to suit your decor.



|               | Rota               |
|---------------|--------------------|
| Width         | 463mm              |
| Height        | 964 - 988mm        |
| Depth         | 463mm              |
| Flue Diameter | 150mm              |
| Heat Output   | 5kW: Wood          |
| Efficiency    | 80% <span>A</span> |
| Flue Outlet   | Top and rear       |



Rota with Black Steel top



Soapstone Top

Height: 988mm



Black Steel Top

Height: 964mm



Clear Glass Top

Height: 970mm

# Evolution 26

## WOODBURNING BOILER STOVE

This woodburning stove is the most powerful in the Evolution by Broseley range. Its greater width gives your household a magnificent blazing expanse of flames. It will throw out up to 10.1kW of heat directly into your room, enough for a considerably sized room. Its indirect effect is remarkable too, contributing a full 15.8kW to a central heating system.



|                | Evolution 26  |
|----------------|---|
| Width          | 800mm   |
| Height         | 700mm   |
| Depth          | 719mm   |
| Flue Diameter  | 150mm   |
| Output (room)  | 10.1kW  |
| Output (water) | 15.8kW  |
| Efficiency     | 77.9% <span style="background-color: #92d050; color: white; padding: 2px;">A</span> |
| Flue Outlet    | Top   |



Evolution 26

## Polar Neo Aqua

### WOODBURNING BOILER STOVE

For a powerful woodburning boiler stove, the highly efficient Oranier Polar Neo Aqua gives out up to 10kW heat (4kW room & 6kW water). Air flow controls are incorporated into the stove body and the self-closing locking system door gives a flush finish. The air circulation through the ergonomically shaped handle ensures the temperature on the surface is largely reduced and cool to touch.



|                | Polar Neo Aqua   |
|----------------|--|
| Width          | 595mm  |
| Height         | 1320mm   |
| Depth          | 505mm  |
| Flue Diameter  | 150mm  |
| Output (room)  | 4kW  |
| Output (water) | 6kW  |
| Heat Capacity  | 200m <sup>3</sup> room   |
| Efficiency     | 83% <span style="background-color: #28a745; color: white; padding: 2px 5px;">A+</span> |
| Flue Outlet    | Top  |



Polar Neo Aqua



# Dimensions


The Evolution by Broseley collection provides a choice of highly efficient multifuel, woodburning, gas and electric stoves, in such a range of sizes, there is a model to suit every home.

The dimensions given in this table provide you with a good starting point to assess how well they might fit into the room you have in mind.



Having viewed the most promising candidates in the showroom, ask the advice of the Evolution appointed stockist about its suitability. For a precise picture, you can arrange a survey with a HETAS approved engineer.

| Model  | Fuel Type  | Width (A) | Height (B) | Depth (C) | Flue Diameter | To centre of rear flue (D) | To centre of top flue (E) | Nominal Heat Output        | Efficiency | EEC |
|--|--|-----------|------------|-----------|---------------|----------------------------|---------------------------|----------------------------|------------|-----|
| Beacon Small                                 | Electric   | 486       | 599        | 292       | N/A           | N/A                        | N/A                       | 2kW                        | N/A        |     |
| Beacon Large                                 | Electric   | 586       | 599        | 292       | N/A           | N/A                        | N/A                       | 2kW                        | N/A        |     |
| Beacon Small Inset                           | Electric   | 486       | 599        | 232       | N/A           | N/A                        | N/A                       | 2kW                        | N/A        |     |
| Beacon Large Inset                           | Electric   | 586       | 599        | 232       | N/A           | N/A                        | N/A                       | 2kW                        | N/A        |     |
| Desire 5                                     | Electric   | 430       | 587        | 292       | N/A           | N/A                        | N/A                       | 2kW                        | N/A        |     |
| Desire 6                                     | Electric   | 486       | 587        | 292       | N/A           | N/A                        | N/A                       | 2kW                        | N/A        |     |
| Desire 7                                     | Electric   | 542       | 587        | 292       | N/A           | N/A                        | N/A                       | 2kW                        | N/A        |     |
| Desire Inset                                 | Electric   | 486       | 587        | 238       | N/A           | N/A                        | N/A                       | 2kW                        | N/A        |     |
| Heslington                                   | Electric   | 591       | 651        | 324       | N/A           | N/A                        | N/A                       | 2kW                        | N/A        |     |
| Ignite Inset                                 | Electric   | 486       | 587        | 236       | N/A           | N/A                        | N/A                       | 2kW                        | N/A        |     |
| Ora Inset                                    | Electric   | 506       | 597        | 249       | N/A           | N/A                        | N/A                       | 2kW                        | N/A        |     |
| Ora 5  | Electric   | 453       | 604        | 377       | N/A           | N/A                        | N/A                       | 2kW                        | N/A        |     |
| Ora 7  | Electric   | 565       | 604        | 377       | N/A           | N/A                        | N/A                       | 2kW                        | N/A        |     |
| Vue  | Electric   | 450       | 704        | 404       | N/A           | N/A                        | N/A                       | 1.8kW                      | N/A        |     |
| Vue LS                                       | Electric   | 450       | 931        | 404       | N/A           | N/A                        | N/A                       | 1.8kW                      | N/A        |     |
| Vue LS Plus                                  | Electric   | 450       | 1035       | 404       | N/A           | N/A                        | N/A                       | 1.8kW                      | N/A        |     |
| 4" Decorative Flue Pipe                      | 90 Degree bend in Matt Black (Plastic) only suitable for electric stoves |           |            |           |               |                            |                           |                            |            |     |
| 5" Decorative Flue Pipe                      | 90 Degree bend in Matt Black (Metal) only suitable for electric stoves   |           |            |           |               |                            |                           |                            |            |     |
| Desire 5                                     | Natural Gas  | 430       | 582        | 371       | 125           | 480                        | 130                       | 6kW Input / 4.5kW Output   | 83%        | C-E |
| Desire 7                                     | Natural Gas  | 542       | 582        | 345       | 125           | N/A                        | 162                       | 6.5kW Input / 4.7kW Output | 80%        | E   |
| Endure Balanced Flue                         | Natural Gas  | 542       | 622        | 336       | 150           | 417                        | N/A                       | 4.2kW Input / 3.3kW Output | 86.2%      | C   |
| Evolution 5                                  | Natural Gas  | 453       | 586        | 436       | 125           | 479                        | 136                       | 5.7kW Input / 4.3kW Output | 83%        | C-E |
| Evolution 5 Deluxe                           | Natural Gas  | 453       | 586        | 436       | 125           | 479                        | 136                       | 5.7kW Input / 4.3kW Output | 83%        | C-E |
| Ignite 5                                     | Natural Gas  | 430       | 582        | 371       | 125           | 480                        | 130                       | 6kW Input / 4.5kW Output   | 83%        | C-E |
| Ignite 7                                     | Natural Gas  | 542       | 582        | 345       | 125           | N/A                        | 162                       | 6.5kW Input / 4.7kW Output | 80%        | E   |
| Cast Stove front - Mid Depth High Efficiency | Natural Gas  | 562       | 659        | Inset 128 | N/A           | N/A                        | N/A                       | 3.7kW Input / 2.7kW Output | 82%        | D   |
| Cast Stove front - Deepline High Efficiency  | Natural Gas  | 562       | 659        | Inset 198 | N/A           | N/A                        | N/A                       | 5.3kW Input / 4.2kW Output | 87%        | C   |
| Cast Stove front - Balanced Flue*            | Natural Gas  | 562       | 659        | Inset 186 | N/A           | N/A                        | N/A                       | 4.2kW Input / 3.3kW Output | 86.2%      | C   |



| Model                                 | Fuel Type   | Width (A) | Height (B) | Depth (C) | Flue Diameter | To centre of rear flue (D) | To centre of top flue (E) | Nominal Heat Output        | Efficiency | EEC | DEAS KIT (Direct External Air Supply) |
|---------------------------------------|-------------|-----------|------------|-----------|---------------|----------------------------|---------------------------|----------------------------|------------|-----|---------------------------------------|
| Desire 5                              | Multifuel   | 430       | 582        | 356       | 125           | 470                        | 115                       | 5kW: Wood                  | 83.1% Wood | A+  | <input checked="" type="checkbox"/>   |
| Desire 5 with log store               | Multifuel   | 430       | 827        | 356       | 125           | 715                        | 115                       | 5kW: Wood                  | 83.1% Wood | A+  | <input checked="" type="checkbox"/>   |
| Desire 5 Widescreen                   | Multifuel   | 542       | 582        | 356       | 125           | 470                        | 115                       | 5kW: Wood                  | 79% Wood   | A   | <input checked="" type="checkbox"/>   |
| Desire 5 Widescreen with log store    | Multifuel   | 542       | 827        | 356       | 125           | 715                        | 115                       | 5kW: Wood                  | 79% Wood   | A   | <input checked="" type="checkbox"/>   |
| Desire 7                              | Multifuel   | 542       | 582        | 356       | 125           | 470                        | 115                       | 7kW: Wood                  | 79.7% Wood | A   | <input checked="" type="checkbox"/>   |
| Desire 7 with log store               | Multifuel   | 542       | 827        | 356       | 125           | 715                        | 115                       | 7kW: Wood                  | 79.7% Wood | A   | <input checked="" type="checkbox"/>   |
| Evolution 5 & 5 Deluxe                | Multifuel   | 450       | 583        | 434       | 150           | 467                        | 134                       | 5kW: Wood                  | 80.8% Wood | A+  | <input checked="" type="checkbox"/>   |
| Evolution 5 & 5 Deluxe with log store | Multifuel   | 450       | 923        | 434       | 150           | 807                        | 134                       | 5kW: Wood                  | 80.8% Wood | A+  | <input checked="" type="checkbox"/>   |
| Ignite 5                              | Multifuel   | 430       | 582        | 356       | 125           | 470                        | 115                       | 5kW: Wood                  | 83.1% Wood | A+  | <input checked="" type="checkbox"/>   |
| Ignite 5 with log store               | Multifuel   | 430       | 827        | 356       | 125           | 715                        | 115                       | 5kW: Wood                  | 83.1% Wood | A+  | <input checked="" type="checkbox"/>   |
| Ignite 5 Widescreen                   | Multifuel   | 542       | 582        | 356       | 125           | 470                        | 115                       | 5kW: Wood                  | 79% Wood   | A   | <input checked="" type="checkbox"/>   |
| Ignite 5 Widescreen with log store    | Multifuel   | 542       | 827        | 356       | 125           | 715                        | 115                       | 5kW: Wood                  | 79% Wood   | A   | <input checked="" type="checkbox"/>   |
| Ignite 7                              | Multifuel   | 542       | 582        | 356       | 125           | 470                        | 115                       | 7kW: Wood                  | 79.7% Wood | A   | <input checked="" type="checkbox"/>   |
| Ignite 7 with log store               | Multifuel   | 542       | 827        | 356       | 125           | 715                        | 115                       | 7kW: Wood                  | 79.7% Wood | A   | <input checked="" type="checkbox"/>   |
| Oranier Rota                          | Woodburning | 463       | 964 - 988  | 463       | 150           | 759                        | 232                       | 5kW                        | 80%        | A   | <input checked="" type="checkbox"/>   |
| Oranier Rota Tre                      | Woodburning | 458       | 983-1007   | 458       | 150           | 706                        | 229                       | 5kW                        | 80%        | A   | <input checked="" type="checkbox"/>   |
| Oranier Polar Neo Aqua Boiler         | Woodburning | 595       | 1320       | 505       | 150           | N/A                        | 178                       | 4kW: Room/6kW: Water       | 83%        | A+  | <input checked="" type="checkbox"/>   |
| Evolution 26 Boiler                   | Woodburning | 800       | 700        | 718       | 150           | N/A                        | 195                       | 10.1kW: Room/15.8kW: Water | 77.9%      | A   | <input checked="" type="checkbox"/>   |

EEC = Energy Efficiency Class | All dimensions shown in mm | \*Balanced Flue Fire come complete with the flue kit  
For full product specifications please visit [www.broseleyfires.com](http://www.broseleyfires.com)



All Evolution multifuel and woodburning stoves are smoke exempt except the Polar Neo Aqua. External air intake option available on all Ignite and Desire models.



**ELGIN & HALL®**  
BRITISH MADE

COLLECT THE NEW ELGIN & HALL BROCHURE  
FROM YOUR LOCAL RETAILER



HEATING HOMES FOR GENERATIONS



# bemodern®

FOR MORE INFORMATION ON OUR OTHER  
BRANDS, PLEASE CONTACT THEM BELOW.

---

## evolution

by **BROSELEY**

WWW.BROSELEYFIRES.COM  
TEL: 0191 489 8006

---

## BROSELEY

WWW.BROSELEYFIRES.COM  
TEL: 0191 489 8006

---



### ELGIN & HALL®

BRITISH MADE

WWW.ELGINANDHALL.CO.UK  
TEL: 0191 430 9434

---

## P R Y Z M

REVOLUTIONIZING FLAMES

WWW.ELGINANDHALL.CO.UK/COLLECTION/PRYZM  
TEL: 0191 430 9434

---



ATLANTABATHROOMS.COM  
TEL: 0191 428 0444

# evolution

by **BROSELEY**



## Contact Us

Tel: 0191 489 8006 | Fax: 0191 580 5005 | Email: [sales@broseleyfires.com](mailto:sales@broseleyfires.com)

Visit: [www.broseleyfires.com](http://www.broseleyfires.com)

Be Modern Ltd | 19/34 Bedesway | Bede Industrial Estate | Jarrow | Tyne & Wear | NE32 3BE

Evolution hold design copyright and registration of design for its product ranges. Evolution are continually striving to improve and develop their range of products. It is important, therefore, to check details before ordering as sizes and specifications may change without prior notice. Whilst every effort is made to ensure accuracy and colour, it is not always possible to obtain perfect reproduction because of the materials and printing processes used. © Evolution September 2020

